

**MSDS****Material Safety Data Sheet**

24 HOUR EMERGENCY TELEPHONE NUMBER <b>CALL CHEMTREC</b> <b>1-800-424-9300</b>
--

189 Twin County Road • Morgantown, PA 19543 • (610) 524-5810

**Alcohol, Reagent, Anhydrous****SECTION 1 PRODUCT IDENTIFICATION**

NAME: Alcohol, Reagent, Anhydrous

AZER SCIENTIFIC CATALOG NUMBER(S): ES601, ES630, ES631, ES632, ES632-55G

SYNONYMS: N/I

CAS NO: Does not apply for mixtures.

FORMULA: Does not apply

**DOT INFORMATION:** Proper Shipping Name - "Alcohols, N.O.S (ethanol, methanol, isopropanol)"

Hazard Class: 3

UN Number: 1170

Packing Group: II

**COMPOSITION OF INGREDIENTS**

INGREDIENTS	CAS NO	PERCENT	HAZARDOUS
ETHYL ALCOHOL	64-17-5	90%	YES
METHYL ALCOHOL	67-56-1	5%	YES
ISOPROPYL ALCOHOL	67-63-0	5%	YES

**\*\*\*\*LABEL HAZARD STATEMENT AND PRECAUTIONS\*\*\*\***

DANGER. POISON. MAY BE FATAL OR CAUSE BLINDNESS IF SWALLOWED. CANNOT BE MADE NON-POISONOUS. FLAMMABLE LIQUID AND VAPOR. HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. CAUSES IRRITATION. MAY CAUSE LIVER DAMAGE. Keep away from heat, sparks and flame. Avoid contact with skin, eyes and clothing. Avoid breathing vapor. Keep container tightly closed. Use only with adequate ventilation. Wash thoroughly after handling.

**SECTION 2 HAZARDOUS INGREDIENTS / EXPOSURE LIMITS**

INGREDIENT/CAS NO	OSHA PEL	ACGIH TLV
-----	-----	-----
Ethanol/64-17-5	1000 ppm TWA	1000 ppm TWA
Methanol/67-56-1	200 ppm TWA	200 ppm TWA Skin 250 ppm STEL Skin
Isopropyl Alcohol 67-63-0	400 ppm TWA	200 ppm TWA 400 ppm STEL

Methyl Alcohol, ~4.8%, is subject to the reporting requirements of SARA 313 and 40CFR372.

---

### SECTION 3 PHYSICAL PROPERTIES

---

SOLUBILITY IN WATER: Miscible  
VAPOR PRESSURE (mm Hg): 40  
SPECIFIC GRAVITY: 0.79  
EVAPORATION RATE: 1.4  
APPEARANCE AND ODOR: Clear colorless liquid. Odor of grain alcohol.

---

### SECTION 4 FIRE / EXPLOSION HAZARD DATA

---

FLASH POINT (C): 13  
AUTOIGNITION TEMPERATURE (C): 422  
FLAMMABLE LIMITS (%) UEL: 19 LEL: 3.3  
EXTINGUISHING MEDIA: Water spray, dry chemical, "alcohol foam", CO<sub>2</sub>.  
SPECIAL FIRE FIGHTING PROCEDURES: Firefighters should wear self-contained breathing apparatus with full face piece operated in pressure-demand or other positive-pressure mode.  
UNUSUAL FIRE AND EXPLOSION HAZARDS: Vapor can flow along surfaces to distant ignition sources and flash back.

---

### SECTION 5 REACTIVITY DATA

---

STABILITY: Stable  
CONDITIONS TO AVOID: Excessive heat, sources of ignition.  
MATERIALS TO AVOID: Strong oxidizers, silver salts, chlorides, alkali metals and many other substances.  
HAZARDOUS DECOMPOSITION PRODUCTS: CO, CO<sub>2</sub>  
HAZARDOUS POLYMERIZATION: Does not occur.

---

### SECTION 6 HEALTH HAZARD DATA

---

ROUTES OF ENTRY AND EFFECTS OF OVEREXPOSURE  
INHALATION: Causes respiratory tract irritation.  
SKIN CONTACT: Causes irritation.  
EYE CONTACT: Causes irritation.  
SKIN ABSORPTION: N/I  
INGESTION: May be fatal or cause blindness if swallowed.  
CHRONIC: Causes drying and cracking of skin. May affect nervous system, liver, blood, reproductive system.  
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Skin or eye disorders, impaired liver or kidney function.  
CARCINOGENICITY: None

#### \*\*\*\*FIRST AID PROCEDURES\*\*\*\*

EYE CONTACT: Immediately flush with plenty of water for at least 15 minutes, separating eyelids occasionally. Get immediate medical attention.  
SKIN CONTACT: Immediately wash with plenty of soap and water. Remove contaminated garments.  
INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.  
INGESTION: If conscious, induce vomiting immediately as directed by medical personnel.

---

### SECTION 7 PRECAUTIONS FOR SAFE HANDLING AND USE

---

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED OR RELEASED: Ventilate area and remove sources of ignition. Absorb spill with inert material and containerize for disposal.

WASTE DISPOSAL METHOD: Dispose in accordance with all applicable federal, state, and local environmental regulations.

STORAGE: Store tightly closed in an approved Flammable Liquids storage area.

---

## SECTION 8 CONTROL MEASURES

---

VENTILATION: Local or general.

RESPIRATORY PROTECTION: If necessary, approved ORGANIC VAPOR respirator.

EYE PROTECTION: Chemical splash goggles and/or full face shield.

SKIN PROTECTION: Gloves, lab coat and impervious apron.

AZER SCIENTIFIC INC. MAKES NO REPRESENTATION AS TO THE COMPREHENSIVENESS OR ACCURACY OF THIS INFORMATION. INDIVIDUALS RECEIVING THIS INFORMATION MUST EXERCISE THEIR INDEPENDENT JUDGMENT IN DETERMINING ITS APPROPRIATENESS FOR A PARTICULAR PURPOSE. ACCORDINGLY, AZER SCIENTIFIC INC. WILL NOT BE RESPONSIBLE FOR DAMAGES OF ANY KIND OR NATURE RESULTING FROM THE USE OF ANY SUCH INFORMATION. NO REPRESENTATIONS OR WARRANTIES OF ANY KIND OR NATURE, INCLUDING BUT NOT LIMITED TO, EXPRESS WARRANTIES, IMPLIED WARRANTIES OF MERCHANTABILITY, OR WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE, ARE MADE HEREUNDER WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR TO THE PRODUCT TO WHICH THE INFORMATION REFERS.