

Certificate of Analysis

Product Name: Blood Bank Saline – Buffered Solution

Description: Isotonic Saline Solution, 0.85% w/v, Buffered

Product No.: ES124310L

Lot. No.: 22155

Date of Manufacture: 09/24/2020

Expiration Date: 03/22/2022

Product Specifications:

Ingredients:	Sodium Chloride, USP Grade
-	Disodium Phosphate, Food Grade
	Monosodium Phosphate, Food Grade
	Deionized Water, NCCLS Type I Reagent Grade

Packaging: Product undergoes a two-phase sub-micron filtration process as well as UV Sterilization before filling process begins.

Packaged in 10 Liter Cubetainers (Manufactured by Hedwin Corporation.)

Materials:

	Part No.	Lot No.	Exp. Date
Container:	CDC5894	08/24/2022	N/A
Cap:	CAP-1 Gal- RMS-38	202007581182	N/A
Spigot:	COM4401-IW	1078477	N/A
Chemical:	ES1243-1000	0 22122	2022-03-22

QC Testing:

LOT NUMBER: 0122122						
ATTRIBUTE	SPECIFICATION	RESULTS	PASS / FAIL			
Appearance	Clear, colorless, no observable particulate	Pass	PASS			
рН	7.0-7.2	7.16	PASS			
Assay	0.85% to 0.90%	0.88%	PASS			
Isotonicity (Macro observation)	No hemolysis	Pass	PASS			
Isotonicity (Micro observation)	No RBC aggregates	Pass	PASS			
ТАМС	< 10 CFU/ml	0 CFU/ml	PASS			
ТҮМС	< 10 CFU/ml	0 CFU/ml	PASS			

Country of Origin: United States of America Latex Free: This product contains no latex

Created By: Fernando Fana Quality Associate

610-524-5810