

Certificate of Analysis

Product Name: Blood Bank Saline – Buffered Solution

Description: Isotonic Saline Solution, 0.85% w/v, Buffered

Product No.: ES124310L

Lot. No.: 24498

Date of Manufacture: 04/23/2021

Expiration Date: 10/19/2022

Product Specifications:

Ingredients:	Sodium Chloride, USP Grade
-	Disodium Phosphate, Food Grade
	Monosodium Phosphate, Food Grade
	Deionized Water, NCCLS Type I Reagent Grade

Packaging: Product undergoes a two-phase sub-micron filtration process as well as UV Sterilization before filling process begins.

Packaged in 10 Liter Cubetainers (Manufactured by Hedwin Corporation.)

Materials:

	Part No.	Lot No.	Exp. Date
Container:	CDC5894	02/12/2021	N/A
Cap:	CAP-1 Gal- RMS-38	202102599242	N/A
Spigot:	COM4401-IW	1345815	N/A
Chemical:	ES1243-1000	1D24497	2022-10-19

QC Testing:

LOT NUMBER: 1D24497						
ATTRIBUTE	SPECIFICATION	RESULTS	PASS / FAIL			
Appearance	Clear, colorless, no observable particulate	Pass	PASS			
рН	7.0-7.2	7.02	PASS			
Assay	0.85% to 0.90%	0.89%	PASS			
Isotonicity (Macro observation)	No hemolysis	Pass	PASS			
Isotonicity (Micro observation)	No RBC aggregates	Pass	PASS			
ТАМС	< 10 CFU/ml	0 CFU/ml	PASS			
ТҮМС	< 10 CFU/ml	0 CFU/ml	PASS			

Country of Origin: United States of America Latex Free: This product contains no latex

Created By: James Osborn Quality Associate

610-901-3046