

Certificate of Analysis

Product Name: Blood Bank Saline – Buffered Solution

Description: Isotonic Saline Solution, 0.85% w/v, Buffered

Product No.: ES124320L

Lot. No.: 26086

Date of Manufacture: 2021-09-02

Expiration Date: 2023-02-28

Product Specifications:

Ingredients: Sodium Chloride, USP Grade
 Disodium Phosphate, Food Grade
 Monosodium Phosphate, Food Grade
 Deionized Water, NCCLS Type I Reagent Grade

Packaging: Product undergoes a two-phase sub-micron filtration process as well as UV Sterilization before filling process begins.
 Packaged in 20 Liter Cubetainers (Manufactured by Hedwin Corporation.)

Materials:

	<u>Part No.</u>	<u>Lot No.</u>	<u>Exp. Date</u>
Container:	CDC6378	06/22/2021	N/A
Cap:	CAP-1 Gal- RMS-38	202105608211	N/A
Spigot:	COM4401-IW	1345821	N/A
Chemical:	ES1243-1000	1H26044	2023-02-28

QC Testing:

LOT NUMBER: 1H26044			
ATTRIBUTE	SPECIFICATION	RESULTS	PASS / FAIL
Appearance	Clear, colorless, no observable particulate	Pass	PASS
pH	7.0-7.2	7.07	PASS
Assay	0.85% to 0.90%	0.89%	PASS
TAMC	< 10 CFU/ml	< 1 CFU/ml	PASS
TYMC	< 10 CFU/ml	< 1 CFU/ml	PASS

Country of Origin: United States of America

Latex Free: This product contains no latex

Created By:
 James Osborn
 Quality Associate