

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Eosin-Y Ultra SYNONYMS: None PRODUCT CODES: ES36111

MANUFACTURER: Azer Scientific, Inc. ADDRESS: 701 Hemlock Rd, Morgantown, PA 19543

CHEMTREC PHONE:800-424-9300SUPPORT:610-524-5810FAX:610-901-3046

PRODUCT USE: Biological Stain PREPARED BY: CB

SECTION 1 NOTES:

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION: Flammable liquid Category 2; Skin Corrosion/Irritation Category 2; Serious eye damage/irritation Category 2A; Specific Target Organ Toxicity - single exposure Category 1; Specific Target Organ Toxicity - repeated exposure Category 2



Signal Word: Danger!

Hazard Phrases	
H225	Highly flammable liquid and vapor.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H370	Causes damage to organs (respiratory system)
H373	May cause damage to organs (respiratory system, central nervous system, liver, blood)
	through prolonged or repeated exposure.

Precautionary Phrases		
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.	
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.	
P280	Wear protective gloves/ eye protection/ face protection.	
P264	Wash hands thoroughly after handling.	
P302+P352	IF ON SKIN: Wash with plenty of soap and water.	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P307+P311	IF exposed: Call a POISON CENTER or doctor/ physician.	

SECTION 2 NOTES:



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT:	CAS NO.	<u>% WT</u>
Isopropyl Alcohol	67-63-0	trade secret
Ethyl Alcohol	64-17-5	trade secret
Methyl Alcohol	67-56-1	trade secret
Eosin-Y	17372-87-1	trade secret
Glacial Acetic Acid	64-19-7	trade secret

SECTION 3 NOTES:

SECTION 4: FIRST AID MEASURES

- **EYES:** Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
- **SKIN:** In case of contact, flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. If skin irritation occurs: Get medical attention/advice.
- **INGESTION:** Call medical doctor or poison control center immediately. Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
- **INHALATION:** Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if you feel unwell.

SECTION 4 NOTES:

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABILITY OF THE PRODUCT: Flammable liquid FLASH POINT: Not available AUTOIGNITION TEMPERATURE: Not available

NFPA HAZARD CLASSIFICATION HEALTH:1 FLAMMABILITY: 3 REACTIVITY: 0 OTHER:

HMIS HAZARD CLASSIFICATION HEALTH:1 FLAMMABILITY: 3 REACTIVITY: 0 PROTECTION:

EXTINGUISHING MEDIA: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide **NOT SUITABLE:** Do not use water jet.

SPECIAL FIRE FIGHTING PROCEDURES: Flammable liquid. In a fire or if heated, a pressure increase will occur and the container may burst with the risk of a subsequent explosion. Run-off to sewer may create fire or explosion hazard. **HAZARDOUS DECOMPOSITION PRODUCTS:** Oxides of carbon expected to be the primary combustion product.

SECTION 5 NOTES: Vapor may cause flash fire. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back.

SECTION 6: ACCIDENTAL RELEASE MEASURES



ACCIDENTAL RELEASE MEASURES:

Small spill and leak: Shut off all ignition sources. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8). Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container.

Large spill and leak: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

SECTION 6 NOTES:

SECTION 7: HANDLING AND STORAGE

HANDLING: Do not breathe vapors. Do not eat, drink or smoke when using this product. Keep away from heat, sparks and open flames, hot surfaces. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating, lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

STORAGE: Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 7 NOTES:

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

ENGINEERING CONTROLS: General mechanical ventilation or laboratory fume hood. Ensure that eyewash stations and quick drench showers are close to the workstation.

PERSONAL PROTECTIVE MEASURES: Wear gloves, lab coat, eye protection and impervious footwear. Contact lenses should not be worn when working with this material.

ENVIRONMENTAL EXPOSURE CONTROLS: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

WORK HYGIENIC PRACTICES: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

EXPOSURE GUIDELINES:

OSHA Permissible Exposure Limits (PELs):

Reagent	CAS#	OSHA PEL TWA
Ethyl Alcohol	64-17-5	1000ppm
Isopropyl Alcohol	67-63-0	400ppm
Methyl Alcohol	67-56-1	200ppm
Glacial Acetic Acid	64-19-7	10ppm

ACGIH Threshold Limit values (TLVs):

Reagent	CAS#	ACGIH PEL TLV	ACGIH STEL
Ethyl Alcohol	64-17-5	1000ppm	
Isopropyl Alcohol	67-63-0	400ppm (983 mg/m ³)	500ppm (1230 mg/m ³)



Methyl Alcohol	67-56-1	200ppm (262 mg/m ³)	250ppm (328 mg/m ³)
Glacial Acetic Acid	64-19-7	10ppm	15ppm

SECTION 8 NOTES:

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Bright orange-red ODOR: Alcohol like PHYSICAL STATE: liquid pH AS SUPPLIED: Not available BOILING POINT: Not available MELTING POINT: Not available FREEZING POINT: Not available VAPOR PRESSURE (mmHg): Not available VAPOR DENSITY (AIR = 1): Not available EVAPORATION RATE: Not available SOLUBILITY IN WATER: Soluble in water MOLECULAR WEIGHT: Mixture VISCOSITY: Not established

SECTION 9 NOTES:

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Product is stable under normal conditions of use.

CONDITIONS TO AVOID (STABILITY): Avoid heat, sparks, flames, and all other sources of ignition.

INCOMPATIBILITY (MATERIAL TO AVOID): Strong oxidizers, potassium dioxide, bromine pentafluoride, acetyl bromide, acetyl chloride, platinum, sodium

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: oxides of carbon. **HAZARDOUS POLYMERIZATION:** No hazardous polymerization

CONDITIONS TO AVOID: Heat, open flame

SECTION 10 NOTES:

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

- Oral: Ethanol: LD50 (oral, mouse) = 3450 mg/kg
- Inhalation: LD50 (inhalation, mouse) = 39000 mg/m³/4H
- Dermal LD50: no data available
- Other information on acute toxicity: no data available
- Skin corrosion/irritation: no data available
- Serious eye damage/eye irritation
- Eyes: no data available
- Respiratory or skin sensitization: no data available
- Germ cell mutagenicity: no data available
- Carcinogenicity: (NTP, IARC, OSHA): Not listed as a carcinogen.
- Aspiration hazard: no data available
- Potential health effects
- Inhalation: Dizziness, headache, nausea, narcosis
- Ingestion: May cause blindness, nausea, damage to GI tract, liver, kidneys, cardiovascular system. Carcinogenic if ingested repeatedly over time (IARC List 1-Ethanol in alcoholic beverages)
- Skin: Causes skin irritation.



Eyes: Causes eye irritation.

SIGNS AND SYMPTOMS OF EXPOSURE: Irritation eyes, skin, nose; headache, drowsiness, weakness, exhaustion, narcosis; cough; liver damage; anemia; reproductive, teratogenic effects. ROUTES OF ENTRY: Skin/eye contact, inhalation, and ingestion. TARGET ORGANS: Kidney, Liver, Heart, Central nervous system

SECTION 11 NOTES:

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL TOXICITY:

Acute fish Toxicity (Ethanol)

LC50 Oncorhynchus mykiss (rainbow trout) >10,000 mg/l 96hr LC50 Pimephales promelas (fathead minnow) >13,400 mg/l 96hr **PERSISTANCE AND DEGRADABILITY:** Biodegradation is expected **BIOACCUMULATIVE POTENTIAL:** Bioaccumulation is unlikely. **MOBILITY IN SOIL:** No data available **PBT and vPvB ASSESSMENT:** Not required.

SECTION 12 NOTES:

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Unused product: dispose as a regulated hazardous waste. Spent product or spill clean up-follow all provincial, local, state, and federal regulations.

RCRA HAZARD CLASS: Not classified

SECTION 13 NOTES:

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

UN No. Proper Shipping Name Hazard Class Packing Group	UN1170 Ethanol 3 II
TDG UN No. Proper Shipping Name Hazard Class Packing Group	UN1170 Ethanol 3 II
IATA UN No. Proper Shipping Name Hazard Class Packing Group	UN1170 Ethanol 3 II
IMDG/IMP UN No. Proper Shipping Name Hazard Class	UN1170 Ethanol 3



Ш

Packing Group

SECTION 15: REGULATORY INFORMATION

United States

HCS Classification: Flammable liquid, Toxic material, Irritating material, Target organ effects

U.S. Federal regulations:					
TSCA 8(a) IUR: Partial exemption					
United States inventory (TSCA 8b): Listed on inventory. SARA 302/304/311/312 extremely hazardous substances: No products were found.					
					-
SARA 302/304/311/3					
SARA 311/312 MSDS	distribution - che	emical inventory - hazard identification:			
Ethanol: Fire hazard, I	mmediate (acute) health hazard, Delayed (chronic) health hazard			
SARA 313 Form R - Re	porting:				
	Component	Concentration			
Requirements:	Ethanol	90%			
Supplier notification:	Ethanol	90%			
DEA List I & II Chemicals					
(Precursor Chemicals):	Precursor Chemicals): Listed				
RTK STATES: Ethanol, CAS 64-1	7-5 CT, MA, NJ, I	PA, RI			
California Prop. 65					
This product does not contain a reproductive harm.	ny chemicals kno	wn to the State of California to cause birth defects or other			
CANADA					
WHMIS (Canada):		Class B-2: Flammable Liquid			
		Class D-1A: Material causing immediate and toxic effects.			
		Class D-2B: Material causing other toxic effects.			
Canadian lists:	CEPA	A Toxic substances: The following components are listed: Volatile			
	Orga	inic compounds			
	Cana	dian ARET: None of the components are listed.			
	Cana	dian NPRI: The following components are listed: Ethanol			
	Volat	tile organic compounds			
CEPA DSL / CEPA NDSL:		All components are listed or exempted.			

CEPA DSL / CEPA NDSL:

All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

SECTION 16: OTHER INFORMATION

National Fire Protection Association (NFPA)



DISCLAIMER: This Safety Data Sheet has been prepared in accordance with the Globally Harmonized System for the Classification and Labelling of Chemicals (GHS). To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries makes any warranty of merchantability or any other warranty, expressed or

Page 6 of 7 SDS-Eosin-Y Ultra



implied, which respect to such information, and we assume no liability resulting from its use. In no event shall Azer Scientific be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages resulting from use of or reliance upon this information.

PREPARATION INFORMATION: Prepared 6/4/2015 REV1 Reviewed 11/30/2016