

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Alcian Yellow Solution

**SYNONYMS:** None

**PRODUCT CODES:** ES37012, ES37018, Component in H. Pylori Stain Kit-ES4811

**MANUFACTURER:** Azer Scientific, Inc.

**ADDRESS:** 701 Hemlock Rd, Morgantown, PA 19543

**CHEMTREC PHONE:** 800-424-9300

**SUPPORT:** 610-524-5810

**FAX:** 610-901-3046

**PRODUCT USE:** Laboratory Reagent

**PREPARED BY:** CB

### SECTION 1 NOTES:

## SECTION 2: HAZARDS IDENTIFICATION

**GHS CLASSIFICATION:** Flammable liquid Category 3; Eye Irritation Category 2B; Skin Irritation Category 2; Acute Toxicity Oral Category 5



**Signal Word:** Danger!

Hazard Phrases	
H226	Flammable liquid and vapor.
H315	Causes skin irritation.
H320	Causes eye irritation.
H303	May be harmful if swallowed.

Precautionary Phrases	
P210	Keep away from heat/sparks/open flames/hot surfaces - No smoking
P270	Do not eat, drink, or smoke when using this product.
P264	Wash hands thoroughly after handling.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists, get medical attention.

### SECTION 2 NOTES:

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

**Chemical Description:** Mixture

**\*May contain additional non-hazardous proprietary ingredients.**

**\*\*May contain additional active ingredients at concentrations <1% w/v**

<b>INGREDIENT:</b>	<b>CAS NO.</b>	<b>% WT</b>
Ethanol	64-17-5	≤50
Isopropyl Alcohol	67-63-0	≤3
Acetic Acid	64-19-7	≤3
Alcian Yellow	61968-76-1	≤1

**SECTION 3 NOTES:**

**SECTION 4: FIRST AID MEASURES**

**EYES:** Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get immediate medical attention.

**SKIN:** In case of contact, flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical if irritation develops.

**INGESTION:** Call medical doctor or poison control center immediately. Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get immediate medical attention.

**INHALATION:** Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms worsen.

**SECTION 4 NOTES:**

**SECTION 5: FIRE-FIGHTING MEASURES**

**FLAMMABILITY OF THE PRODUCT:**

**FLASH POINT:** Not Available

**AUTOIGNITION TEMPERATURE:** Not Available

**NFPA HAZARD CLASSIFICATION**

**HEALTH:1    FLAMMABILITY: 2    REACTIVITY: 0**  
**OTHER:**

**HMIS HAZARD CLASSIFICATION**

**HEALTH:1    FLAMMABILITY: 2    REACTIVITY: 0**  
**PROTECTION: B**

**EXTINGUISHING MEDIA:** Use dry chemical, CO<sub>2</sub>, water spray (fog) or foam.

**NOT SUITABLE:** Do not use water jet.

**SPECIAL FIRE FIGHTING PROCEDURES:** Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Carbon dioxide, Carbon monoxide

**SECTION 5 NOTES:**

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**ACCIDENTAL RELEASE MEASURES:**

**Small spill and leak:** Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container.

**Large spill and leak:** Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

## SECTION 6 NOTES:

## SECTION 7: HANDLING AND STORAGE

**HANDLING:** Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Do not reuse container.

**STORAGE:** Store in accordance with local regulations. Store in a segregated and approved area. Store in original container, protected from direct sunlight. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Store at 15-30°C

## SECTION 7 NOTES:

## SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

**ENGINEERING CONTROLS:** General mechanical ventilation or laboratory fume hood. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment. Ensure that eyewash stations and quick drench showers are close to the workstation.

**RESPIRATORY PROTECTION:** Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**EYE PROTECTION:** Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommended: splash goggles

**SKIN PROTECTION:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: lab coat

**HANDS:** Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Recommended: Neoprene

**WORK HYGIENIC PRACTICES:** Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

## EXPOSURE GUIDELINES:

### OSHA Permissible Exposure Limits (PELs):

Reagent	CAS#	OSHA PEL TWA	Note
Ethyl Alcohol	64-17-5	1000 ppm/1,900 mg/mm <sup>3</sup>	29 CFR 1910.1000 Table Z-1 Limits for Air Containments
Isopropyl Alcohol	67-63-0	400 ppm	
Acetic Acid	64-19-7	10 ppm (25 mg/m <sup>3</sup> )	

### ACGIH Threshold Limit values (TLVs):

Reagent	CAS#	ACGIH PEL TWA	ACGIH STEL	Note
---------	------	---------------	------------	------

Ethyl Alcohol	64-17-5		1000 ppm	Upper respiratory tract irritation. Confirmed animal carcinogen with unknown relevance to humans
Isopropyl Alcohol	67-63-0	200 ppm	400 ppm	
Acetic Acid	64-19-7	10 ppm	15 ppm (37 mg/m <sup>3</sup> )	

**SECTION 8 NOTES:**
**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE:** Transparent Yellow  
**ODOR:** Characteristic, alcohol-like  
**PHYSICAL STATE:** liquid  
**pH AS SUPPLIED:** Not available  
**BOILING POINT:** Not available  
**MELTING POINT:** Not available  
**FREEZING POINT:** Not available  
**VAPOR PRESSURE (mmHg):** Not available  
**VAPOR DENSITY (AIR = 1):** Not available  
**EVAPORATION RATE:** Not available  
**SOLUBILITY IN WATER:** Soluble in water  
**MOLECULAR WEIGHT:** Mixture  
**VISCOSITY:** Not established

**SECTION 9 NOTES:**
**SECTION 10: STABILITY AND REACTIVITY**

**STABILITY:** Product is stable under normal conditions of use.  
**CONDITIONS TO AVOID (STABILITY):** Avoid all possible sources of ignition (spark or flame).  
**INCOMPATIBILITY (MATERIAL TO AVOID):** Strong Oxidizers  
**HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.  
**HAZARDOUS POLYMERIZATION:** No hazardous polymerization  
**CONDITIONS TO AVOID (POLYMERIZATION):** N/A

**SECTION 10 NOTES:**
**SECTION 11: TOXICOLOGICAL INFORMATION**
**ACUTE TOXICITY**

Numerical Measures: No relevant data available for mixture.

**Carcinogenicity:**

International Agency for Research on Cancer (IARC).

None of the components are listed.

National Toxicology Program (NTP).

None of the components are listed.

Specific target organ toxicity - single exposure (Globally Harmonized System): no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System): no data available

Aspiration hazard: no data available

Potential health effects:

Inhalation May cause respiratory tract irritation.

Ingestion Harmful if swallowed.

Skin Causes skin irritation.

Eyes Causes eye damage.

Signs and Symptoms of Exposure:

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

**ROUTES OF ENTRY:** Skin/eye contact, inhalation, and ingestion.

**TARGET ORGANS:** Not available

**SECTION 11 NOTES:**

**SECTION 12: ECOLOGICAL INFORMATION**

**TOXICITY:**

Fish: No relevant studies identified.

Crustacea: No relevant studies identified.

Algae/Aquatic Plants: No relevant studies identified.

Other Organisms: No relevant studies identified.

**PERSISTENCE AND DEGRADABILITY:** Biodegradation is expected

**BIOACCUMULATIVE POTENTIAL:** Bioaccumulation is unlikely.

**MOBILITY IN SOIL:** No data available

**PBT and vPvB ASSESSMENT:** Not required.

**SECTION 12 NOTES:**

**SECTION 13: DISPOSAL CONSIDERATIONS**

**WASTE DISPOSAL METHOD:** Unused product: dispose as a regulated hazardous waste. Spent product or spill clean up-follow all provincial, local, state, and federal regulations.

**SECTION 13 NOTES:**

**SECTION 14: TRANSPORT INFORMATION**

**U.S. DEPARTMENT OF TRANSPORTATION**

<b>UN No.</b>	UN1170
<b>Proper Shipping Name</b>	Ethanol Solutions
<b>Hazard Class</b>	3
<b>Packing Group</b>	II
<b>Label Statement:</b>	Flammable liquid

**TDG**

<b>UN No.</b>	UN1170
<b>Proper Shipping Name</b>	Ethanol Solutions
<b>Hazard Class</b>	3
<b>Packing Group</b>	II

**IATA**

<b>UN No.</b>	UN1170
<b>Proper Shipping Name</b>	Ethanol Solutions
<b>Hazard Class</b>	3
<b>Packing Group</b>	II

**IMDG/IMP**

**UN No.** UN1170  
**Proper Shipping Name** Ethanol Solutions  
**Hazard Class** 3  
**Packing Group** II

## SECTION 15: REGULATORY INFORMATION

### United States

**HCS Classification:** Flammable liquid, Highly toxic material, Irritating material

### U.S. Federal regulations:

**TSCA 8(a) IUR:** Partial exemption

**United States inventory (TSCA 8b):** Listed on inventory.

**SARA 302/304/311/312 extremely hazardous substances:** No products were found.

**SARA 302/304 emergency planning and notification:** No products were found.

**SARA 302/304/311/312 hazardous chemicals:** Ethyl Alcohol

**SARA 311/312 MSDS distribution - chemical inventory - hazard identification:** No products were found.

**SARA 313 Form R - Reporting:**

Ethyl Alcohol: Fire hazard, Immediate (acute) health hazard, Delayed (chronic) health hazard

### DEA List I & II Chemicals

**(Precursor Chemicals):** Not Listed

**RTK STATES:** Ethyl Alcohol CAS# 64-17-5 PA, MA, NJ, RI Isopropyl Alcohol CAS#67-63-0 NJ, PA, MA, RI

Acetic Acid CAS# 64-19-7 PA, MA, NJ, RI

### California Prop. 65

**WARNING:** This product contains a chemical known to the State of California to cause birth defects or other reproductive harm: None

### CANADA

**WHMIS (Canada):** Class B-2: Flammable liquid  
Class D-1B: Material causing immediate and serious toxic effects (Toxic).  
Class D-2B: Material causing other toxic effects (Toxic).

### Canadian lists

**CEPA Toxic substances:** The following components are listed: None.

**Canadian ARET:** None of the components are listed.

**Canadian NPRI:** The following components are listed: None

### CEPA DSL / CEPA NDSL:

All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

### International regulations

#### International lists:

**Australia inventory (AICS):** All components are listed or exempted.

**China inventory (IECSC):** All components are listed or exempted.

**Japan inventory:** All components are listed or exempted.

**Korea inventory:** All components are listed or exempted.

**New Zealand Inventory of Chemicals (NZIoC):** All components are listed or exempted.

**Philippines inventory (PICCS):** All components are listed or exempted.

## SECTION 16: OTHER INFORMATION

### National Fire Protection Association (U.S.A.)



**DISCLAIMER:** This Safety Data Sheet has been prepared in accordance with the Globally Harmonized System for the Classification and Labelling of Chemicals (GHS). To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries makes any warranty of merchantability or any other warranty, expressed or implied, which respect to such information, and we assume no liability resulting from its use. In no event shall Azer Scientific be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages resulting from use of or reliance upon this information.

**PREPARATION INFORMATION: Prepared 09/23/2015 REV1**  
**Reviewed 08/30/2017**