

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Papanicolaou Stain, EA65

**SYNONYMS:** None

PRODUCT CODES: ES720, ES721, ES765

MANUFACTURER: Azer Scientific, Inc.

ADDRESS: 701 Hemlock Rd, Morgantown, PA 19543

**CHEMTREC PHONE:** 800-424-9300

**SUPPORT:** 610-524-5810 **FAX:** 610-901-3046

PRODUCT USE: Biological Stain

PREPARED BY: CB

**SECTION 1 NOTES:** 

# **SECTION 2: HAZARDS IDENTIFICATION**

**GHS CLASSIFICATION:** Flammable liquids Category 2; Acute toxicity, Oral Category 4; Eye irritation Category 2B; Acute Toxicity Dermal Category 4, Skin Irritation Category 2; Specific target organ toxicity - single exposure Category 2





Signal Word: Danger!

Hazard Phrases			
H225	Highly flammable liquid and vapor.		
H302	Harmful if swallowed.		
H320	Causes eye irritation.		
H312	Harmful in contact with skin.		
H315	Causes skin irritation.		
H371	May cause damage to organs.		

<b>Precautionary Phrases</b>	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P307+P311	IF exposed: Call a POISON CENTER or doctor/ physician.

## **SECTION 2 NOTES:**



INGREDIENT:	CAS NO.	<u>% WT</u>
Ethanol	64-17-5	<84
IPA	67-63-0	<5
Methanol	67-56-1	<5
Light Green SF, Yellowish	5141-20-8	<1
Bismark Brown	10114-58-6	<1
Lithium Carbonate	554-13-2	<1
Eosin Y	17372-87-1	<1
Phosphotungstic Acid	12501-23-4	<1
Water	7732-18-5	<6

#### **SECTION 3 NOTES:**

### SECTION 4: FIRST AID MEASURES

**EYES:** Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

**SKIN:** In case of contact, flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if irritation persists.

**INGESTION:** Call medical doctor or poison control center immediately. Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

**INHALATION:** Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if you feel unwell.

### **SECTION 4 NOTES:**

## **SECTION 5: FIRE-FIGHTING MEASURES**

FLAMMABILITY OF THE PRODUCT: Flammable liquid

FLASH POINT: Not available

**AUTOIGNITION TEMPERATURE:** Not available

NFPA HAZARD CLASSIFICATION

HEALTH:2 FLAMMABILITY: 3 REACTIVITY: 0

OTHER:

**HMIS HAZARD CLASSIFICATION** 

HEALTH:2 FLAMMABILITY: 3 REACTIVITY: 0

**PROTECTION:** 

**EXTINGUISHING MEDIA:** Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide

NOT SUITABLE: Do not use water jet.

**SPECIAL FIRE FIGHTING PROCEDURES:** Flammable liquid. In a fire or if heated, a pressure increase will occur and the container may burst with the risk of a subsequent explosion. Run-off to sewer may create fire or explosion hazard.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Oxides of carbon expected to be the primary combustion product. Additional decomposition compounds may include nitrogen oxides, sulfur oxides, halogenated compounds, metal oxide/oxides



**SECTION 5 NOTES:** Vapor may cause flash fire. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### **ACCIDENTAL RELEASE MEASURES:**

**Small spill and leak:** Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container.

Large spill and leak: Shut off all ignition sources. Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

#### **SECTION 6 NOTES:**

### **SECTION 7: HANDLING AND STORAGE**

**HANDLING:** Do not get in eyes, on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.

**STORAGE:** Store in accordance with local regulations. Store in a segregated and approved area. Store in original container, protected from direct sunlight. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store and use away from heat, sparks, open flame or any other ignition source. Store at Room Temperature.

#### **SECTION 7 NOTES:**

#### SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

**ENGINEERING CONTROLS:** General mechanical ventilation or laboratory fume hood. Ensure that eyewash stations and quick drench showers are close to the workstation.

**RESPIRATORY PROTECTION:** Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**EYE PROTECTION:** Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommended: splash goggles

**SKIN PROTECTION:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: lab coat **HANDS:** Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Recommended: Neoprene

**ENVIRONMENTAL EXPOSURE CONTROLS:** Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**WORK HYGIENIC PRACTICES:** Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.



### **EXPOSURE GUIDELINES:**

## **OSHA Permissible Exposure Limits (PELs):**

Reagent	CAS#	OSHA PEL TWA	Note
Ethyl Alcohol	64-17-5	1000 ppm	29 CFR 1910.1000 Table Z-1
		$(1,900 \text{ mg/m}^3)$	Limits for Air Containments
Isopropyl Alcohol	67-63-0	400 ppm	
Methyl Alcohol	67-56-1	200ppm (260 mg/m <sup>3</sup> )	Absorbed through skin.

### **ACGIH Threshold Limit values (TLVs):**

Reagent	CAS#	ACGIH PEL TWA	ACGIH STEL	Note
Ethyl Alcohol	64-17-5		1000 ppm	Upper respiratory tract irritation. Confirmed animal carcinogen with unknown relevance to humans
Isopropyl Alcohol	67-63-0	200 ppm	400ppm	
Methyl Alcohol	67-56-1	200ppm (260 mg/m³)	250ppm (328 mg/m³)	Absorbed through skin.

### **SECTION 8 NOTES:**

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Green
ODOR: Alcohol like
PHYSICAL STATE: liquid
pH AS SUPPLIED: Not available
BOILING POINT: Not available
MELTING POINT: Not available

FREEZING POINT: Not available

VAPOR PRESSURE (mmHg): Not available VAPOR DENSITY (AIR = 1): Not available EVAPORATION RATE: Not available SOLUBILITY IN WATER: Soluble in water

MOLECULAR WEIGHT: Mixture VISCOSITY: Not established

## **SECTION 9 NOTES:**

# SECTION 10: STABILITY AND REACTIVITY

**STABILITY:** Product is stable under normal conditions of use.

**CONDITIONS TO AVOID (STABILITY):** Avoid heat, sparks, flames, and all other sources of ignition.

INCOMPATIBILITY (MATERIAL TO AVOID): Oxidizing agents, strong acids and bases.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Thermal breakdown of this product during fire or very high heat

conditions may evolve the following decomposition products: oxides of carbon.

**HAZARDOUS POLYMERIZATION:** No hazardous polymerization

**CONDITIONS TO AVOID (POLYMERIZATION): N/A** 

#### **SECTION 10 NOTES:**

#### SECTION 11: TOXICOLOGICAL INFORMATION

## **Acute toxicity**

Oral LD50: no data available



Inhalation LC50: no data available Dermal LD50: no data available

Other information on acute toxicity: no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation

Eyes: no data available

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

Carcinogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System): no data available Specific target organ toxicity - repeated exposure (Globally Harmonized System): no data available

Aspiration hazard: no data available

Potential health effects

Inhalation Harmful if inhaled. Causes respiratory tract irritation.

Ingestion Harmful if swallowed.

Skin Harmful if absorbed through skin.

Eyes Causes eye irritation.

SIGNS AND SYMPTOMS OF EXPOSURE: Warning: contains methanol. May be fatal or cause blindness if swallowed. Cannot be made nonpoisonous. Effects Due to ingestion may include: Gastrointestinal disturbance, Headache, Nausea, Vomiting, Dizziness, Weakness, Confusion, Drowsiness, Unconsciousness. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

**ROUTES OF ENTRY:** Skin/eye contact, inhalation, and ingestion.

TARGET ORGANS: Kidney, Liver, Heart, Central nervous system

**SECTION 11 NOTES:** 

### SECTION 12: ECOLOGICAL INFORMATION

#### **TOXICITY:**

### **Acute fish Toxicity (Ethanol)**

LC50 Oncorhynchus mykiss (rainbow trout) >10,000 mg/l 96hr LC50 Pimephales promelas (fathead minnow) >13,400 mg/l 96hr

PERSISTANCE AND DEGRADABILITY: Biodegradation is expected **BIOACCUMULATIVE POTENTIAL:** Bioaccumulation is unlikely.

**MOBILITY IN SOIL:** No data available

PBT and vPvB ASSESSMENT: Not required.

**SECTION 12 NOTES:** 

## **SECTION 13: DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL METHOD: Unused product: dispose as a regulated hazardous waste. Spent product or spill clean up-follow all provincial, local, state, and federal regulations.

RCRA HAZARD CLASS: Not classified

**SECTION 13 NOTES:** 



### **U.S. DEPARTMENT OF TRANSPORTATION**

UN No. UN1170
Proper Shipping Name Ethanol
Hazard Class 3
Packing Group ||

**TDG** 

UN No. UN1170
Proper Shipping Name Ethanol
Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group ||

**IATA** 

UN No. UN1170
Proper Shipping Name Ethanol
Hazard Class 3
Packing Group II

IMDG/IMP

UN No. UN1170
Proper Shipping Name Ethanol
Hazard Class 3
Packing Group II

EMS-No: F-E, S-E

## **SECTION 15: REGULATORY INFORMATION**

#### **United States**

HCS Classification: Flammable liquid, Toxic material, Irritating material, Target organ effects

### **U.S. Federal regulations:**

TSCA 8(a) IUR: Listed on inventory.

United States inventory (TSCA 8b): Listed on inventory.

SARA 302/304/311/312 extremely hazardous substances: No products were found.

SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: No products were found.

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Eosin Y: Immediate (acute) health hazard;

Methanol: Fire hazard, Immediate (acute), Health hazard, Delayed (chronic) health hazard; Ethanol: Fire hazard, Immediate (acute), Health hazard, Delayed (chronic) health hazard

SARA 313 Form R - Reporting: The following components are subject to reporting levels established

by SARA Title III, Section 313: METHANOL (CAS# 67-56-1)

**DEA List I & II Chemicals** 

(Precursor Chemicals): Not Listed

CERCLA: Methanol CAS-No. 67-56-1. RQ: 5,000 lbs

RTK STATES: Ethanol CAS 64-17-5 CT, MA, NJ, PA, RI Methanol CAS 67-56-1 CT, MA, NJ, PA Phosphotungstic Acid CAS 12501-23-4 PA, NJ, MA, MN Isopropyl Alcohol 67-63-0 NJ, PA, MA

California Prop. 65





WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. METHANOL CAS-No. 67-65-1

**CANADA** 

WHMIS (Canada): Class D-2A: Very toxic material causing other toxic effects

Class D-2B: Toxic material causing other toxic effects

Class B-2: Flammable liquid

Canadian lists: CEPA Toxic substances: The following components are listed: Methanol

**Canadian ARET:** None of the components are listed.

Canadian NPRI: The following components are listed: Methanol, Ethanol

Volatile organic compounds

**CEPA DSL / CEPA NDSL:** 

All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

International regulations International lists:

Australia inventory (AICS): All components are listed or exempted.

China inventory (IECSC): All components are listed or exempted.

**Japan inventory:** All components are listed or exempted. **Korea inventory:** All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): All components are listed

or exempted.

Philippines inventory (PICCS): All components are listed or exempted.

**SECTION 16: OTHER INFORMATION** 

### National Fire Protection Association (U.S.A.)



**DISCLAIMER:** This Safety Data Sheet has been prepared in accordance with the Globally Harmonized System for the Classification and Labelling of Chemicals (GHS). To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries makes any warranty of merchantability or any other warranty, expressed or implied, which respect to such information, and we assume no liability resulting from its use. In no event shall Azer Scientific be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages resulting from use of or reliance upon this information.

PREPARATION INFORMATION: Prepared 06/09/2015 REV1 Reformatted and reviewed 09/18/2017