



SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Rhodanine Solution (Stock)

SYNONYMS: None

PRODUCT CODES: ES37521, Component of Copper Stain Kit ES4806

MANUFACTURER: Azer Scientific, Inc.

ADDRESS: 701 Hemlock Rd, Morgantown, PA 19543

CHEMTREC PHONE: 800-424-9300

SUPPORT: 610-524-5810

FAX: 610-901-3046

PRODUCT USE: Laboratory Reagent

PREPARED BY: CB

SECTION 1 NOTES:

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION: Flammable liquid Category 2; Skin Irritation (Category 2), Eye Irritation (Category 2), Specific Target Organ toxicity-single exposure (Category 3)



Signal Word: Danger!

Hazard Phrases	
H225	Highly flammable liquid and vapor.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H336	May cause drowsiness and dizziness.

Precautionary Phrases	
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P260	Do not breathe fumes/mist/vapors/spray.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

SECTION 2 NOTES:

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Description: Mixture

***May contain additional non-hazardous proprietary ingredients.**



****May contain additional active ingredients at concentrations <1% w/v**

INGREDIENT:	CAS NO.	% WT
Ethanol	64-17-5	≤95
Isopropyl Alcohol	67-63-0	≤5
5-(4-Dimethylaminobenzylidene)rhodanine	536-17-4	≤0.4

SECTION 3 NOTES:

SECTION 4: FIRST AID MEASURES

EYES: Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if irritation persists.

SKIN: In case of contact, flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation develops.

INGESTION: Call medical doctor or poison control center immediately. Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

INHALATION: Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms worsen.

SECTION 4 NOTES:

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABILITY OF THE PRODUCT: Flammable liquid

FLASH POINT: Not available

AUTOIGNITION TEMPERATURE: Not available

NFPA HAZARD CLASSIFICATION

HEALTH:1 FLAMMABILITY: 3 REACTIVITY: 0
OTHER:

HMIS HAZARD CLASSIFICATION

HEALTH:1 FLAMMABILITY: 3 REACTIVITY: 0
PROTECTION: G

EXTINGUISHING MEDIA: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

NOT SUITABLE: Do not use water jet.

SPECIAL FIRE FIGHTING PROCEDURES: Flammable liquid. In a fire or if heated, a pressure increase will occur and the container may burst with the risk of a subsequent explosion. Run-off to sewer may create fire or explosion hazard.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon expected to be the primary combustion product.

SECTION 5 NOTES: Vapor may cause flash fire. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back.

SECTION 6: ACCIDENTAL RELEASE MEASURES



ACCIDENTAL RELEASE MEASURES:

Small spill and leak: Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container.

Large spill and leak: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

SECTION 6 NOTES:

SECTION 7: HANDLING AND STORAGE

HANDLING: Do not get in eyes, on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated.

STORAGE: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container, protected from direct sunlight. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store at 2-8°C

SECTION 7 NOTES:

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

ENGINEERING CONTROLS: General mechanical ventilation or laboratory fume hood. Ensure that eyewash stations and quick drench showers are close to the workstation.

RESPIRATORY PROTECTION: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

EYE PROTECTION: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommended: splash goggles

SKIN PROTECTION: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: lab coat

HANDS: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Recommended: Neoprene

ENVIRONMENTAL EXPOSURE CONTROLS: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

WORK HYGIENIC PRACTICES: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

EXPOSURE GUIDELINES:

OSHA Permissible Exposure Limits (PELs):

Reagent	CAS#	OSHA PEL TWA	Note
Ethyl Alcohol	64-17-5	1000 ppm/1,900 mg/mm ³	29 CFR 1910.1000 Table Z-1 Limits for Air Containments
Isopropyl Alcohol	67-63-0	400 ppm	

ACGIH Threshold Limit values (TLVs):

Reagent	CAS#	ACGIH PEL TWA	ACGIH STEL	Note
---------	------	---------------	------------	------



Ethyl Alcohol	64-17-5		1000 ppm	Upper respiratory tract irritation. Confirmed animal carcinogen with unknown relevance to humans
Isopropyl Alcohol	67-63-0	200 ppm	400 ppm	

SECTION 8 NOTES:**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****APPEARANCE:** Red/orange**ODOR:** Strong alcohol odor**PHYSICAL STATE:** liquid**pH AS SUPPLIED:** Not available**BOILING POINT:** Not available**MELTING POINT:** Not available**FREEZING POINT:** Not available**VAPOR PRESSURE (mmHg):** Not available**VAPOR DENSITY (AIR = 1):** Not available**EVAPORATION RATE:** Not available**SOLUBILITY IN WATER:** Soluble in water**MOLECULAR WEIGHT:** Mixture**VISCOSITY:** Not established**SECTION 9 NOTES:****SECTION 10: STABILITY AND REACTIVITY****STABILITY:** Product is stable under normal conditions of use.**CONDITIONS TO AVOID (STABILITY):** Avoid heat, sparks, flames, and all other sources of ignition.**INCOMPATIBILITY (MATERIAL TO AVOID):** Oxidizing agents**HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:** Under normal conditions of storage and use, hazardous decomposition should not occur.**HAZARDOUS POLYMERIZATION:** No hazardous polymerization**CONDITIONS TO AVOID (POLYMERIZATION):** N/A**SECTION 10 NOTES:****SECTION 11: TOXICOLOGICAL INFORMATION****Acute toxicity**

Numerical Measures: No relevant data for mixture.

Carcinogenicity

International Agency for Research on Cancer (IARC).

Isopropyl Alcohol is listed as Group 3 - not classifiable as to carcinogenicity in humans.

National Toxicology Program (NTP).

None of the components are listed.

Specific target organ toxicity - single exposure (Globally Harmonized System): no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System): no data available

Aspiration hazard: no data available

Potential health effects

Inhalation: Causes respiratory tract irritation.

Ingestion: Harmful if swallowed.



Skin: May cause skin irritation.

Eyes: Causes eye irritation.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated

ROUTES OF ENTRY: Skin/eye contact, inhalation, and ingestion.

TARGET ORGANS: Kidney, Liver, Heart, Central nervous system

SECTION 11 NOTES:

SECTION 12: ECOLOGICAL INFORMATION

TOXICITY:

Fish: No relevant studies identified.

Crustacea: No relevant studies identified.

Algae/Aquatic Plants: No relevant studies identified.

Other Organisms: No relevant studies identified.

PERSISTENCE AND DEGRADABILITY: Biodegradation is expected

BIOACCUMULATIVE POTENTIAL: Bioaccumulation is unlikely.

MOBILITY IN SOIL: No data available

PBT and vPvB ASSESSMENT: Not required.

SECTION 12 NOTES:

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Unused product: dispose as a regulated hazardous waste. Spent product or spill clean up-follow all provincial, local, state, and federal regulations.

SECTION 13 NOTES:

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

UN No.	UN1170
Proper Shipping Name	Ethanol Solutions
Hazard Class	3
Packing Group	II

IATA

UN No.	UN1170
Proper Shipping Name	Ethanol Solutions
Hazard Class	3
Packing Group	II

IMDG: UN Number: 1170 Class: 3 Packing group: II EMS-No: F-E, S-E

Canadian TDG: UN No. 1170 Class 3 (6.1) Packing group II

Proper shipping name: Ethanol solutions

EU ADR/RID: UN Number: 1170 Class: 3 Packing group: II

SECTION 15: REGULATORY INFORMATION

United States

HCS Classification: Flammable liquid, Target organ effects, Irritating material



U.S. Federal regulations:

TSCA 8(a) IUR: Partial exemption

United States inventory (TSCA 8b): Listed on inventory.

SARA 302/304/311/312 extremely hazardous substances: No products were found.

SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: No products were found.

SARA 311/312 MSDS distribution - chemical inventory - hazard identification:

Ethanol: Fire hazard, Immediate (acute) health hazard, Delayed (chronic) health hazard

SARA 313 Form R - Reporting:

	Component	Concentration
Requirements:	Ethanol	90%
Supplier notification:	Ethanol	90%

DEA List I & II Chemicals

(Precursor Chemicals): Not Listed

RTK STATES: Ethanol CAS# 64-17-5: PA, NJ, MA, RI Isopropyl Alcohol CAS# 67-63-0 MA, PA, NJ

California Prop. 65

This product does not contain any chemicals known to the State of California to cause birth defects or other reproductive harm.

CANADA

WHMIS (Canada):

Class B-2: Flammable liquid

Class D-1B: Material causing immediate and serious toxic effects (Toxic).

Class D-2B: Material causing other toxic effects (Toxic).

Canadian lists:

CEPA Toxic substances: The following components are listed:

Ethanol: Volatile organic compounds

Canadian ARET: None of the components are listed.

Canadian NPRI: The following components are listed: Ethanol

Volatile organic compounds

CEPA DSL / CEPA NDSL:

All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

SECTION 16: OTHER INFORMATION

National Fire Protection Association (U.S.A.)



DISCLAIMER: This Safety Data Sheet has been prepared in accordance with the Globally Harmonized System for the Classification and Labelling of Chemicals (GHS). To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries makes any warranty of merchantability or any other warranty, expressed or implied, which respect to such information, and we assume no liability resulting from its use. In no event shall Azer Scientific be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages resulting from use of or reliance upon this information.

PREPARATION INFORMATION: Prepared 10/08/2015 REV1

Reviewed 09/22/2017