

M S D S***Material Safety Data Sheet***

24 HOUR EMERGENCY
TELEPHONE NUMBER
CALL CHEMTREC
1-800-424-9300

189 Twin County Road • Morgantown, PA 19543 • (610) 524-5810

**GRAM'S DECOLORIZER
MATERIAL SAFETY DATA SHEET**

Date Issue: January 22, 2007

The following information is believed to be correct but is not warranted as such, nor does it purport to be all inclusive.

Product Identification

Product Name: Gram's decolorizer
Product Code: ES800, ES801, ES805, ES811
Product Description: A solution of acetone in reagent alcohol.

Health	2
Flammability	4
Reactivity	0
Physical Hazard	None

Section 1 - Shipping Data

DOT Shipping Name:* Ethyl Alcohol
DOT Hazard Class: Flammable Liquid
DOT Identification: UN1170
Tel. # for information: (610) 524-5810
Emergency Tel. #: (800) 424-9300
Prepared by: P.B.

Section 2 - Hazardous Ingredients / Identity Information

CHEMICAL COMPONENTS	CAS#	%	OSHA PEL	ACGIH TLV
ethanol	64-17-5	64% v/v	1000 ppm	1000 ppm
isopropanol	67-63-0	3.6% v/v	400 ppm	400 ppm
methyl alcohol	67-56-1	3.6% v/v	200 ppm (skin)	200 ppm (skin)
acetone	67-64-1	25% v/v	1000 ppm	750 ppm TWA

Section 3 - Physical / Chemical Characteristics

MSDS***Material Safety Data Sheet***

24 HOUR EMERGENCY
TELEPHONE NUMBER
CALL CHEMTREC
1-800-424-9300

189 Twin County Road • Morgantown, PA 19543 • (610) 524-5810

SAFRANIN , 0.4%
MATERIAL SAFETY DATA SHEET

The following information is believed to be correct but is not warranted as such, nor does it purport to be all inclusive.

Product Identification

Product Name: Safranin O, 0.4%
Product Code: ES800, ES801, ES806, ES812, ES812-16
Product Description: A solution of Safranin O and water in reagent alcohol.

Health	2
Flammability	3
Reactivity	0
Physical Hazard	None

Section 1 - Shipping Data

DOT Shipping Name:* Alcoholic solutions containing less than 25% alcohol are not regulated
DOT Hazard Class: Not Applicable
DOT Identification: UN1170
Tel. # for information: (610) 524-5810
Emergency Tel. #: (800) 424-9300
Prepared by: P.B.

Section 2 - Hazardous Ingredients / Identity Information

CHEMICAL COMPONENTS	CAS#	%	OSHA PEL	ACGIH TLV
ethanol	64-17-5	18% v/v	1000 ppm	1000 ppm
isopropanol	67-63-0	1% v/v	400 ppm	400 ppm
methyl alcohol	67-56-1	1% v/v	200 ppm (skin)	200 ppm (skin)
safranin O	477-73-6	0.4% w/v	-----	-----

Section 3 - Physical / Chemical Characteristics

Boiling Point:	87° C	Specific Gravity (H₂O = 1):	0.98
Vapor Pressure (mm Hg and Temperature):	Unknown	Evaporation Rate (n-butyl alcohol= 1):	unknown
Vapor Density (AIR=1):	1.5	Solubility in Water:	100%

Appearance and Odor: A red solution with the characteristic odors of alcohol.

Section 4 - Fire and Explosion Hazard Data

Flash Point (Method Used): 97° C (TCC) **Flammability Limits:** (for ethanol) LEL 3% UEL 19%

Extinguishing Media: Alcohol type foam, carbon dioxide or dry chemical

Special Fire Fighting Procedures: Water is ineffective against alcohol fires but may be used to cool adjacent containers.

Unusual Fire and Explosive Hazards: Pyrolysis will release toxic gases such as carbon monoxide and methanol.

Section 5 - Reactivity Data

Stability: Stable **Conditions to Avoid:** Heat and flame

Incompatibility (Materials to Avoid): Store away from oxidizers.

Precautions to be taken in Handling and Storage: Store at room temperature.

Section 6 - Health Hazard Data

Routes of Entry	Inhalation?	Skin Absorption?	Ingestion?
	yes	yes	yes
Carcinogenicity?	NTP?	IARC Monographs?	OSHA Regulated?
no	no	no	yes

Health Hazards (Acute and Chronic): Methanol is a cumulative poison and death has been reported from ingestion of less than 30 mL. Causes CNS depression, headache, intoxication, dilation of the pupils, convulsions, nausea and dizziness. Unconsciousness and death may result. Methanol intoxication may produce visual disturbances and blindness.

Signs and Symptoms of Exposure: Symptoms of overexposure include; CNS disturbance, dizziness, photophobia, headache, stupor, coma, and death.

Medical Conditions Generally Aggravated by Exposure: Impaired kidney and liver function may be aggravated by exposure to alcohols. Preexisting eye, skin, and respiratory conditions may also be aggravated. Methanol has shown genetic toxicity in some animals.

Emergency and First Aid Procedures:

Seek medical assistance for further treatment, observation and support if necessary.

Eye Contact: Flush with water at least 15 minutes and get medical attention.

Skin contact: Remove contaminated clothing and flush with water. Get medical attention if irritation persists.

Ingestion: Do not induce vomiting if patient is unconscious or extremely drowsy. Otherwise administer 2 glasses of water and induce vomiting. Get immediate medical attention even if symptoms improve.

Section 7 - Precautions For Safe Handling and Use

Steps to be Taken In Case of Spill Or Release: Remove all sources of ignition, absorb with a suitable absorbent (such as a paper towel) and dispose.

Waste Disposal Methods: The preferred disposal method is incineration. The amount of alcohol that can be flushed down the drain is restricted in many localities. Insure compliance with all government regulations.

Section 8- Control Measures

Respiratory Protection (Specify Type): Generally not needed.

Ventilation: Chemical fume hoods are recommended for handling methanolic solutions.

Protective Gloves: Plastic or rubber gloves impervious to methanol are recommended.

Eye Protection: Laboratory safety goggles or similar products are recommended.

Other Protective Clothing And Equipment: Usually not required.

Hygienic Work Practices: Wash well after handling, especially before eating and smoking.

AZER SCIENTIFIC INC. MAKES NO REPRESENTATION AS TO THE COMPREHENSIVENESS OR ACCURACY OF THIS INFORMATION. INDIVIDUALS RECEIVING THIS INFORMATION MUST EXERCISE THEIR INDEPENDENT JUDGMENT IN DETERMINING ITS APPROPRIATENESS FOR A PARTICULAR PURPOSE. ACCORDINGLY, AZER SCIENTIFIC INC. WILL NOT BE RESPONSIBLE FOR DAMAGES OF ANY KIND OR NATURE RESULTING FROM THE USE OF ANY SUCH INFORMATION. NO REPRESENTATIONS OR WARRANTIES OF ANY KIND OR NATURE, INCLUDING BUT NOT LIMITED TO, EXPRESS WARRANTIES, IMPLIED WARRANTIES OF MERCHANTABILITY, OR WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE, ARE MADE HEREUNDER WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR TO THE PRODUCT TO WHICH THE INFORMATION REFERS.